

## **This is an official CDC Health Update**

Distributed via Health Alert Network  
December 23, 2009, 9:20 EST (9:20 AM EST)  
CDCHAN-00304-09-12-23-ADV-N

### **MedImmune Monovalent 2009 (H1N1) Influenza Nasal Spray Vaccine — Shortened Shelf Life of Certain Lots**

*MedImmune announces limited, voluntary, non-safety-related recall of remaining unused product*

#### **Summary**

On December 18 and 21, MedImmune notified CDC and FDA that the potency of 13 lots of monovalent 2009 (H1N1) nasal spray vaccine had decreased below a pre-specified limit or were at risk of falling below that limit in the next week. This slight decrease in vaccine potency is not expected to have an impact on the protective response to vaccination. There are no safety concerns with these lots of 2009 H1N1 vaccine. All lots successfully passed pre-release testing for purity, potency and safety. However, because their potency is now or might soon be below the specified lower limit, MedImmune will send providers directions for returning any unused vaccine from these lots.

#### **Recommendations**

The potency of these lots is now or might soon be slightly below the specified range for the product. CDC and FDA are in agreement that the slight decrease in vaccine potency is not expected to have an impact on the protective response to vaccination. For this reason, there is no need to revaccinate persons who have received vaccine from these lots.

People who received vaccine from the recalled lots do not need to take any action. Children and adults aged 10 years and older who received the vaccine do not need any further doses of vaccine. As is recommended for all 2009 H1N1 vaccines, all children younger than 10 years old should get the recommended two doses of 2009 H1N1 vaccine approximately a month apart. Therefore, children younger than 10 years old who have only received one dose of vaccine thus far should still receive a second dose of 2009 H1N1 vaccine. It is best to use the same type of vaccine for the first and second doses.

#### **Background**

As part of its quality assurance program, the manufacturer of the nasal spray 2009 H1N1 influenza vaccine, MedImmune, performs routine, ongoing stability testing of the vaccine after it has been shipped to providers. Stability testing means measuring the strength of a vaccine over time.

The 13 lots subject to the recall include approximately 4.7 million doses. These doses were shipped to CDC's contract distributor in October and early November. **Most of the doses are believed to have already been administered while fully potent and within specifications.** However, there are almost certainly some doses that have not yet been used.

The potency issue described here is specific to the 13 lots of nasal spray 2009 H1N1 influenza vaccine listed below. Subsequent lots of the vaccine were produced with a slightly higher initial potency to decrease the chance that the potency would fall "below specification" before their expiration dates. Following its routine practice, the manufacturer will continue to monitor the stability of these subsequent lots.

This recall does not affect 2009 H1N1 vaccine produced by other manufacturers. However, a similar recall was conducted recently, which involved lots from Sanofi Pasteur's pediatric 2009 H1N1 vaccine in

0.25 mL pre-filled syringes. (See <http://www2a.cdc.gov/HAN/ArchiveSys/ViewMsgV.asp?AlertNum=00303>)

Before they were shipped, the lots currently being recalled passed all quality controls and met all specifications for safety, purity, and potency.

MedImmune will send a notification to providers who received doses from any of the 13 lots of vaccine so that they can return any unused vaccine.

**Lot Information**

Providers are being asked to return any vaccine in the following lots that remains unused to the manufacturer:

- 500754P
- 500751P
- 500756P
- 500757P
- 500758P
- 500759P
- 500760P
- 500761P
- 500762P
- 500763P
- 500764P
- 500765P
- 500776P

**For More Information:**

- For Questions and Answers related to the withdrawn vaccine see [http://www.cdc.gov/h1n1flu/vaccination/sprayrecall\\_ga.htm](http://www.cdc.gov/h1n1flu/vaccination/sprayrecall_ga.htm)
- Call CDC's toll-free information line, 800-CDC-INFO (800-232-4636) TTY: (888) 232-6348, which is available 24 hours a day, every day.
- For manufacturer's information about the recall, see [http://www.medimmune.com/pdf/H1N1\\_Recall\\_QandA\\_122209.pdf](http://www.medimmune.com/pdf/H1N1_Recall_QandA_122209.pdf)
- For manufacturer's instructions to providers on actions to be taken, see [http://www.medimmune.com/pdf/H1N1\\_Recall\\_letter\\_122209.pdf](http://www.medimmune.com/pdf/H1N1_Recall_letter_122209.pdf)

---

Categories of Health Alert messages:

**Health Alert** conveys the highest level of importance; warrants immediate action or attention.

**Health Advisory** provides important information for a specific incident or situation; may not require immediate action.

**Health Update** provides updated information regarding an incident or situation; unlikely to require immediate action.

##This Message was distributed to **State and Local Health Officers, Public Information Officers, Epidemiologists and HAN Coordinators as well as Clinician organizations##**

=====

You have received this message based upon the information contained within our emergency notification data base. If you have a different or additional e-mail or fax address that you would like us to use please contact your State-based Health Alert Network program at your State or local health department.

=====

---

The CDC and HHS logos are the exclusive property of the Department of Health and Human Services and may not be used for any purpose without prior express written permission. Use of trade names and commercial sources is for identification only and does not imply endorsement by the U.S. Department of Health and Human Services.

Links to non-Federal organizations are provided solely as a service to our users. Links do not constitute an endorsement of any organization by CDC or the Federal Government, and none should be inferred. The CDC is not responsible for the content of the individual organizations.

**Please send us your feedback or comments:** <http://www.cdc.gov/flu/coca/feedback.htm>.

Our Clinician Communication Team is committed to excellence in reporting our weekly updates. Please e-mail [coca@cdc.gov](mailto:coca@cdc.gov) should you note any written errors or discrepancies.

If you need to unsubscribe or update your information, please go to our website: <http://www.bt.cdc.gov/clinregistry>.  
If you need further information or technical help, please send an e-mail message to: [coca@cdc.gov](mailto:coca@cdc.gov).



**Communicating With Clinicians**  
CDC currently employs several mechanisms to communicate with clinicians on topics of urgent concern and interest.  
[Download this flyer to find out more](#)

